

BLANK PAGE



Indian Standard

SPECIFICATION FOR COMPOSITE BOTTOM STAINLESS STEEL COOKING UTENSILS

PART II 3-PLY CONSTRUCTION

UDC 643·35:669·14·018·8



© Copyright 1969

INDIAN STANDARDS INSTITUTION MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG NEW DELHI 1



AMENDMENT NO. 2 SEPTEMBER 2007 TO

IS 4536 (PART 2): 1969 SPECIFICATION FOR COMPOSITE BOTTOM STAINLESS STEEL COOKING UTENSILS

PART 2 3-PLY CONSTRUCTION

[Page 4, clause 2.1 (see also Amendment No 1) — Substitute the following for existing clause:

'2.1 The material used for manufacture of two outer plies of these utensils shall be stainless steel conforming to designation 07Cr18Ni9 or 04Cr18Ni11 of IS 1570 (Part 5). 1985† and the material for the core shall be low carbon steel or copper conforming to grades FRTP1 or FRTP2 of IS 191: 1980‡ or aluminium conforming to IS 21: 1992§.'

(Page 4, footnotes '†' and '‡' marks) — Substitute the following for the existing:

†Schedules for wrought steels Part 5 Stainless and heat-resisting steels (second revision) ‡Specification for copper (third revision)

(Page 4, footnotes) — Insert the following footnote at the end:

§Wrought aluminium and aluminium alloys for manufacture of utensils — Specification (fourth revision)

(ME 33)

Indian Standard

SPECIFICATION FOR COMPOSITE BOTTOM STAINLESS STEEL COOKING UTENSILS

PART II 3-PLY CONSTRUCTION

Utensils Sectional Committee, CPDC 5

Chairman

Representing

SHRI A. R. A. KRISHNAN

Chief Inspectorate of General Stores [Ministry of Defence (DGI)], Kanpur

Members

SHRI S. P. TRIPATHI (Alternate to

Shri A. R. A. Krishnan)

SHRI OMPRAKASH T. AGGARWAL Devidayal Stainless Steel Industries Pvt Ltd, Bombay

SHRI M. K. SAVLA (Alternate)

The All India Aluminium Re-Rollers & Wares SHRI SIKANDER LAL BHAMBARI Manufacturer's Federation, Delhi-Shahdara

DR S. S. BHATNAGAR

SHRI CHUNILAL P. BHATT

National Metallurgical Laboratory

Jamshedpur All India Non-ferrous Metal Industries Association, Bombay

SHRI RAMANLAL M. SHAH (Alternate)

CATERING OFFICER, NORTHERN Railway Board (Ministry of Railways)

RAILWAY

DIRECTOR OF CLOTHING AND Indian Navy

VICTUALLING

ASSISTANT NAVAL STORE

OFFICER (Alternate)

DR U. P. GANGULI Bengal Enamel Works Limited, Calcutta

DR M. K. MUKHERJEE (Alternate)

SHRI B. K. MURTHY Indian Aluminium Co Limited, Calcutta SHRI N. GOPALKRISHNAN (Alternate)

All India Stainless Steel Industries Association, Bombay SHRI B. V. PARANJPE

SHRI MADANLAL K. GUPTA (Alternate)

SHRI R. N. RAI International Engineering Service, Bombay

MAJ V. P. SETHI Office of the Director General Armed Forces Medical

Services (Ministry of Defence) SHRI D. H. SHAH Jeevanlal (1929) Limited, Calcutta

SHRI P. K. AMBANI (Alternate)

Shri N. H. Shah

SHRI RAMANLAL M. SHAH SHRI RAMESHCHANDRA G. SHAH (Alternate)

The Mysore Premier Metal Factory, Calcutta Lallubhai Amichand Private Ltd, Bombay

(Continued on page 2)

IS: 4536 (Part II) - 1969

(Continued from page 1)

Members

Representing

SHRI N. M. SONI SHRI B. K. THAKOOR SHRI M. B. THAKOOR (Alternate)

Mahalaxmi Metal Industries, Bombay Thakoor Metal Industries, Bombay

SHRI A. B. RAO,

Director General, ISI (Ex-officio Member)

Director (Consr Prod)

Secretary

SHRI V. K. KAPOOR

Assistant Director (Consr Prod), ISI

Stainless Steel Utensils Subcommittee, CPDC 5:3

Convener

SHRI M. K. SAVLA

Devidayal Stainless Steel Industries Pvt Ltd, Bombay

Members

SHRI OMPRAKASH T. AGGAR-WAL (Alternate to Shri M. K. Savla)

Dr S. N. Anant Narayan

DR K. BAGCHI

SHRI D. S. CHADA (Alternate)

DR S. S. BHATNAGAR

CATERING OFFICER, NORTHERN RAILWAY

SHRI B. K. GHOSH

SHRI M. B. MISRA (Alternate) SHRI MURARILAL GUPTA SHRI M. L. MADAN

SHRI B. V. PARANJPE

SHRI MADANIAL K. GUPTA (Alternate)

SHRI P. N. S. RAZDAN SHRI N. H. SHAH

SHRI RAMANLAL M. SHAH SHRI RAMESHCHANDRA G.

SHAH (Alternate)

SHRI N. M. SONI SHRI G. D. THAKOOR

SHRI J. E. YORKE (Alternate) SHRI R. W. WAD (Alternate)

International Nickel (India) Private Ltd, Bombay Directorate General of Health Services, New Delhi

National Metallurgical Laboratory (CSIR), Jamshedpur

Railway Board (Ministry of Railways)

Chief Inspectorate of General Stores [Ministry of Defence (DGI)], Kanpur

Pearl Metal Works, Bombay Director of Industries, Haryana

All India Stainless Steel Industries Association, Bombay

K. R. Metal Industries (Pvt) Ltd, Bombay The Mysore Premier Metal Factory, Calcutta

Lallubhai Amichand Pvt Ltd, Bombay

Mahalaxmi Metal Industries, Bombay The Oriental Metal Pressing Works Pvt Ltd, Bombay

Indian Standard

SPECIFICATION FOR COMPOSITE BOTTOM STAINLESS STEEL COOKING UTENSILS

PART II 3-PLY CONSTRUCTION

O. FOREWORD

- **0.1** This Indian Standard (Part II) was adopted by the Indian Standards Institution on 9 June 1969, after the draft finalized by the Utensils Sectional Committee had been approved by the Consumer Products Division Council.
- 0.2 The work of formulating standards on composite bottom stainless steel cooking utensils has been taken up in order to lay down in precise terms the requirements expected of these utensils. These utensils have a combination of two or more better heat-conducting metals than stainless steel for increasing the thermal conductivity uniformly all over the area and are now being produced in the country. Part I of this standard covers the requirements of copper electrodeposited composite bottom sainless steel cooking utensils, while this part covers composite bottom stainless steel cooking utensils of 3-ply construction which is a sandwich of stainless steel inseparably bonded to an inside core of heat-conductive low-carbon steel or copper. 3-Ply construction is designed to provide all the advantages of durability, cleanliness, corrosion resistance and sanitation offered by stainless steel plus the superior heat conductivity of low carbon steel or copper.
- **0.3** The shapes and sizes demanded in the country differ from area to area and therefore, need not rigidly be tied down. For the general run of the utensil uses, the shapes and sizes covered in this standard are recommended (see also 3.1).
- **0.4** This standard contains clauses **3.2** and **6.1** which call for agreement between the purchaser and the supplier and which permit the purchaser to use his option for selection to suit his requirements.
- 0.5 For the purpose of deciding whether a particular requirement of this standard is complied with, the final value, observed or calculated, expressing the result of a test or analysis, shall be rounded off in accordance

IS:4536 (Part II)-1969

with IS: 2-1960*. The number of significant places retained in the rounded off value should be the same as that of the specified value in this standard.

1. SCOPE

1.1 This standard (Part II) lays down the requirements of 3-ply construction composite bottom stainless steel cooking utensils, namely, frying-pans and saucepans.

2. MATERIALS

- 2.1 The material used for the manufacture of two outer plies of these utensils shall be stainless steel conforming to Designation 07Cr 19Ni9 of Schedule V of IS:1570-1961† and the material for the core shall be low-carbon steel or copper conforming to Grades FRTP1 or FRTP2 of IS:191-1967‡.
- 2.2 Rivets, lugs and other fittings used on the body of the utensil shall be made of stainless steel.
- 2.3 The fittings used to secure handle with the lug shall be made either of corrosion resisting material or non-ferrous material suitably plated.
- 2.4 The handle shall be made of impact-resistant and non-inflammable plastics.

3. SHAPES AND DIMENSIONS

- 3.1 Popular shapes and dimensions of utensils are given in Fig. 1 and 2. Nominal thickness of sheets and permissible reduction therefrom shall be as given in respective figures.
- 3.2 The low-carbon steel or copper core shall be clad with stainless steel of equal thicknesses on each side. The proportion of thickness of core and cladding to total thickness shall be as agreed to between the purchaser and the supplier.

4. FINISH

4.1 The utensils shall have no sharp edges and shall be finished bright all over. The construction shall be such that it is possible to clean the utensils thoroughly and all surfaces for cleaning are accessible by hand or brush. The utensils shall be free from distortion, dents, wrinkles, scratches, pittings, deep tool marks and other surface defects. The handles of the frying-pans and saucepans shall be suitably fitted.

^{*}Rules for rounding off numerical values (revised).

[†]Schedules for wrought steel for general engineering purposes.

Specification for copper (revised).




Fig. 1 FRYING-PAN




Fig. 2 SAUCEPAN

5. MARKING

5.1 Each utensil shall be indelibly marked with the manufacturer's name, registered trade-mark or identification mark. The impression of the marking shall not show up on the inside.

IS: 4536 (Part II)-1969

5.1.1 The utensils may also be marked with the ISI Certification Mark.

NOTE — The use of the ISI Certification Mark is governed by the provisions of the Indian Standards Institution (Certification Marks) Act, and the Rules and Regulations made thereunder. Presence of this mark on products covered by an Indian Standard conveys the assurance that they have been produced to comply with the requirements of that standard, under a well-defined system of inspection, testing and quality control during production. This system, which is devised and supervised by ISI and operated by the producer has the further safeguard that the products as actually marketed are continuously checked by ISI for conformity to the standard. Details of conditions, under which a licence for the use of the ISI Certification Mark may be granted to manufacturers or processors, may be obtained from the Indian Standards Institution.

6. PACKING

6.1 Utensils shall be wrapped in soft tissue paper and packed in accordance with the best trade practice or according to the instructions of the purchaser. Care shall be taken to see that the utensils do not get dented during transit.

PUBLICATIONS OF INDIAN STANDARDS INSTITUTION

INDIAN STANDARDS

Over 5000 Indian Standards, broadly classified under the following main heads, have been issued so far:

Agriculture & Food Chemical Civil Engineering Consumer Products Electrotechnical
Mechanical Engineering
Structural & Metals
Textile

Of these, the standards belonging to the Consumer Products Group fall under the following categories:

Anaesthesia, Resuscitation & Allied Equipment
Artificial Limbs
Coir
Dental Equipment and Instruments
Domestic Hardware
Fasteners for Consumer Goods
Fountain Pens and Ball Point Pens
Gas Burning Appliances

Hospital Equipment
Hospital Utensils
Medical Glass Instruments
Oil Burning Appliances
Safety Matches
Sports Goods
Surgical Instruments and
Dressings
Umbrellas
Utensils and Cutlery

OTHER PUBLICATIONS

ISI Bulletin (Published Eve	Rs				
Single Copy			•••		3.00
Annual Subscription	•••	•••	•••	•••	25.00
Annual Reports (from 1948	8-49 On	wards)	•••	•••	2:00 to 3:00 each

Handbook of ISI Publications, 1969 (Pages vi + 546, Price Rs 10:00) incorporating annotations on all Indian Standards, and also listing ISO Recommendations and Publications of IEC

Available from

INDIAN STANDARDS INSTITUTION

Headquarters

Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi 1
Telephones 27 36 11 - 20 Telegrams Manaksanstha

27 50 31 - 40

Branch Offices

Telegrams Manaksanstha

534 Sardar Vallabhbhai Patel Road	Bombay 7	Telephone	35 69 44
5 Chowringhee Approach	Calcutta 13	40	23 - 18 23
5-9-201/2 Chirag Ali Lane	Hyderabad 1	••	3 23 35
117/418 B Sarvodaya Nagar	Kanpur 5	••	6 76 95
54 General Patters Road	Madras 2		8 72 78



AMENDMENT NO. 1 MARCH 1985

TO.

IS:4536(Part 2)-1969 SPECIFICATION FOR COMPOSITE BOTTOM STAINLESS STEEL COOKING UTENSILS

PART 2 3-PLY CONSTRUCTION

(Page 4, clause 2.1) - Substitute the following for the existing clause:

'2.1 The material used for the manufacture of two outer plies of these utensils shall be stainless steel conforming to Designation Of Cr18Ni9 or O4Cr18Ni11 of IS:1570(Part 5)-1972† and the material for the core shall be low-carbon steel or copper conforming to Grades FRTP1 or FRTP2 of IS:191-1967‡.

(Page 4, foot-notes with 't' and 't' marks) - Substitute the following for the existing titles:

'†Schedules for wrought steels: Part 5 Stainless and heat-resisting steels(first revision).

‡Specification for copper (second revision).'

(CPDC .5)